

EGEG ROCKY FLATS



INTEROFFICE CORRESPONDENCE

11202

DATE

August 3, 1992

TO

S A Pettis, Surface Water, Bldg 80, X8615

FROM

R S Roberts, Remediation Programs, Bldg 80, X8508

SUBJECT

RISKS DUE TO THE SPRAY EVAPORATION OF B-2 POND - RSR-016-92

A risk analysis was performed to evaluate the potential human health risk due to the spray evaporation of the B-2 point. The results of this evaluation show that the carcinogenic risk due to this activity is 2.7E-10 and the Hazard Index is 4.5E 07. These values are well below the acceptable carcinogenic range of 1E-04 to 1E-06 and the acceptable Hazard Index of 1.0.

In order to calculate the above risks, it was assumed that an individual will live at the Rocky Flats Plant fence line for the next thirty years and that spray evaporation will continue for that period of time. This individual will be exposed to volatile organic compounds (VOC) that are volatilized from the spray head when water is sprayed over the B-2 poind. The VOCs volatilized during spray evaporation are transported from the spray head to the hypothetical individual at the fence line. This exposure scenario was reviewed and approved by the Department of Energy (DOE) and the Colorado Department of Health (CDH). All assumptions used in this analysis are outlined in Attachment I.

Attachment II shows the analytical results used in this risk analysis. Methylene Chloride, Acetone, 1,2-Dichloroethene and Trichloroethene were evaluated in this risk assessment. J and B qualified data were assumed to be present at the reported value.

If you have any questions or need support in presenting this information, please contact me

dmf

Attachments As Stated (2)

 ∞

G M Anderson

M B Arndt

R C. Flory

D S Murray

D M Smith



DOCUMENT CLASSIFICATION REVIEW WAIVER PER CLASSIFICATION OFFICE

Attachment 1 RSR-016-92 Page 1 of 1

SPRAY EVAPORATION RISK ASSUMPTIONS

A) Spray Evaporation Specifications

Average Flowrate = 1000 gallons\minute

Daily Exposure Duration = 10 hours\day

Annual Exposure Duration = 125 days\year

Duration of Spray Evaporation Activities = 30 years

B) Dispersion of Volatiles

CHIQ = (1(PI)(U)(SIGMA-Y)(SIGMA-Z))

Pl = 31416

U = 4.7 meters\second

SIGMA-Y = 110 meters

SIGMA-Z = 43 meters

Distance to Individual = 1 6 kilometers

Stability Class = D

Assumptions were taken from the <u>Plan For Prevention Of Contaminant Dispersion</u>, dated February, 1992

Assume 100% volatilization from water

C) Inhalation of Volatilized Constituents

Intake = (ER)(CHIQ)(IR)(DEF)(AEF)(ED)(BW)(AT)

ER = Emission Rate = Chemical Specific Value

CHI\Q = Dispersion Value

IR = Inhalation Rate = 0 83 m^3\hour

DEF = Daily Exposure Frequency = 10 hours\day

AEF = Annual Exposure Frequency = 125 days\year

ED = Exposure Duration = 30 years

BW = Body Weight = 70 kg

AT = Averaging Time = 70 Years (Carcinogens)

AT = Averaging Time = 30 Years (Non-Carcinogens)

Carcinogenic Risk = (Intake)(Slope Factor)

Hazard Index = Intake\Reference Dose

Slope Factors and Reference Doses used in this analysis were taken from the Integrated Risk Information System (IRIS) and the Health Effects Assessment Summary Tables (HEAST) The primary source was IRIS Slope Factors and Reference Doses are current as of 7\30\92

1A UDLATILE URGANICS ANALYSIS DATA SHEET

(g/ml) #

EPA SAMPLE NU.

1 Pond B-2 6/22/52 1 NP50631 WC

Lab Name ITAS-ST LOUIS

Lab Code. ITAS Case No . -- SAS No

Lontract

262 01

COMCERNRATION UNITS

50G No .: ---

Metrix (soil/weter) Water

Lab Sample ID 2/09-60/

Sample wt/vol 5

Lab File ID. >E4065

Level (low/med) LUW

Date Received 48700700 06/23/92

% Moisture: not dec -

Date Analyzed. 86/23/92

Column (pack/cap) LAP

Dilution Factor. 1

	CAS NO	LUMPOUNU		ug/Kg)		u
, -						1 1
1	74-87-3	Chloromathana			10	י ו
i	74-83-9	Bromomethane			10	וט ו
,	75-01-4	Vinyl Chloride		•	10	וט ו
,	75-00-3	Lhiorosthans		1	10	10 1
,	75-09-2	Methylene Chlor:			11	18 1
	67-64-1	•	108	1	18	
1	75-15-0	Acetone Carbon Disulfide		1	5	וֹט וֹ
	75-35-4			1	5	ו טו
	75-34-3	1,1-Dichloroethe		; 1	5	ו ט
•	540-59-0	1,1-Dichloroetha		, }	4	1 1
1	67-66-3	1,2-Uichlorosthe Chloroform	sne (lora)	, ,	5	ו טו
- 1	107-06-2			,	5	וט ו
1	= '	1,2-Dichlorostha 2-Butanona	ne	1	10	10 1
,	78-93-3			1	5	ו עו
;	71-55-6	1,1,1-Trichloroe		1	5	10 1
	56-23-5	Carbon Tetrachlo	01108	1	10	10 1
1	108-05-4	Vinyl Acetata	.	1		10 1
- 1	75-27-4	Bromodichloromet		1	5	
1	78-87-5	1,2-Dichloroprop		i	5	וט ו
	10061-01-5	cis-1,3-Dichlore	propene	1	5	IU I
1	79-01-6	Trichloroethene		1	4	1 3 1
I	124-48-1	Dibromochloromet		Į.	5	IU I
	79-00-5	1,1,2-Trichloroe	thane	1	5	וט ו
1	71-43-2	Benzene		1	5	IU I
1	10061-02-6	trans-1,3-Dichlo	robrobene	I	5	IU I
	75-25-2	Bromoform		1	5	וט ו
	108-10-1	4-Methyl-2-Penta	none		10	10 1
	591-78-6	2-Hexanone		1	10	IU I
	127-18-4	Tetrachloroether		l	5	וט ו
	79-34-5	1,1,2,2-Tetrachl	oroethane	1	5	IU I
	109-88-3	Toluene		1	5	וט ו
	108-90-7	Chlorobenzene		1	5	10 1
	100-41-4	Ethylbenzene		1	5	10 1
	100-42-5	Styrena		1	5	ו עו
l	1330-20-7	Xylene (total)		t	5	10 1
1_				1		_11

DOET

C-yell) curent

3/3